



Oras Minimat

INSTALLATION AND MAINTENANCE GUIDE






Denna produkt är anpassad till
Branschregler Säker Vatteninstallation.
Oras International Oy garanterar produktens
funktion om branschreglerna och
monteringsanvisningarna följs.

Contents



DK Indholdsfortegnelse	LT Turinys	PL Spis treści	UA Зміст
EE Sisukord	LV Saturs	RU Содержание	
FI Sisällysluettelo	NO Innhold	SE Innehållsförteckning	



Technical data.....	4
Installation	5-8
Maintenance	9
Spare parts	9



200400

I (ISO 3822)
100 - 1000 kPa
0.21 l/s (300 kPa)
65 kPa (0.1 l/s)
max. +90°C



200410

I (ISO 3822)
100 - 1000 kPa
0.21 l/s (300 kPa)
65 kPa (0.1 l/s)
max. +90°C



Installation


DK Installation
EE Paigaldus
FI Asennus

LT Montavimas
LV Montāža
NO Montering


PL Instalacja
RU Установка
SE Installation

UA Встановлення

1 200400



1 200410





With temperature adjustment handle (factory default)

DK Med temperaturreguleringsgreb
EE Temperatuuri seadekahvaga mudel
FI Lämmönsäätökahvallinen versio
LT Su temperatūros reguliavimo rankenėle
LV Ar temperatūras iestatīšanas rokturi
NO Med temperaturratt

PL Z uchwytem regulującym temperaturę
RU С рукояткой регулировки температуры
SE Med blandningsvred
UA З рукояткою регулювання температури
 (заводська конфігурація)

2 200400



Modified for pre-mixed water

DK Til forblandet vand

EE Eelsegatud veega mudel

FI Versio esisekoitetulle vedelle

LT Sumaišytam vandeniui

LV Modificēta iepriekš sajauktam ūdenim

NO Uten temperaturratt og med sentralt forinnstilt temperatur



PL Przebudowany, z podłączeniem na wodę zmieszana

RU Для предварительно смешанной воды

SE Modifierad för förblandat vatten

UA Для попередньо змішаної води


2 200410



Temperature adjustment

DK Justering af temperaturen på installationsstedet
EE Temperatuuri seadmine vajadusel
FI Lämpötilan säätö tarvittaessa
LT Temperatūros reguliavimas
LV Temperatūras iestādīšana
NO Justering av temperaturen ved sperreknappens

PL Regulacja temperatury
RU Регулировка температуры
SE Justering av blandningstemperatur
UA Регулювання температури



Hot water hygiene rinsing

DK Varmtvands hygiejneskyl

EE Hügieeniline kuumavee loputus

FI Kuumavesi hygienia huuhtelu

LT Higieninis praplovimas karštu vandeniu

LV Karstais ūdens higiēniskai skalošanai

NO Hygienisk varmtvann skylling

PL Płukanie gorącą wodą

RU Гигиеническая промывка горячей водой

SE Hetvatten- Hygienspolning

UA Гаряча вода для гігієни полоскання




200400, 200410

1 601948V

2 601949V

3 601950V

4 601951/2



Oras Group is a powerful European provider of sanitary fittings: the market leader in the Nordics and a leading company in Continental Europe. The company's mission is to make the use of water easy and sustainable and its vision is to become the European leader of advanced sanitary fittings. Oras Group has two strong brands, Oras and Hansa.

The head office of the Group is located in Rauma, Finland, and the Group has four manufacturing sites: Burglengenfeld (Germany), Kralovice (Czech Republic), Olesno (Poland) and Rauma (Finland). Oras Group employs approximately 1400 people in twenty countries. Oras Group is owned by Oras Invest, a family company and an industrial owner.

ORAS GROUP
Isometsäntie 2, P.O. Box 40
FI-26101 Rauma
Tel. +358 2 83 161
Fax +358 2 831 6300
info.finland@oras.com
www.oras.com

